



- **RFID products**

Transponder , Sensor , Reader/writer , Smart label , Solution

- **EAS products**

Hard tag , Bottle tag , Ink tag , Optical tag , Soft tag ,
RF system, Deactivator, RF label, Pin, Lanyard, Detacher



- **RF System** 01
- **Hard tag** 02
- **Soft tag** 14
- **Ink tag** 16
- **RF Label** 18
- **Bottle tag** 21
- **Pin** 23
- **Optical tag** 25
- **Lanyad** 26
- **Detacher** 28



RF 8.2MHz Sensor (SD1000)

DSP RF 8.2MHz system Suitable for passage installation of markets, stores, libraries, clothing stores bookstore, Av store, etc.

Center frequency:8.2MHz

Scanning frequency bias:±500KHz

Scan rate:180Hz±1Hz

Bandwidth: 7.5MHz-8.5MHz

Aisle width: 1.4(label)-2.0cm(tag)

Material: Stainless

Dimension: 1620×325×170 mm

Weight: 25kgs



RF 8.2MHz Sensor (SD2000)

Digital intelligence, suitable for passage installation of markets, stores, libraries, clothing stores bookstore, Av store, etc.

Center Frequency: 8.2MHz

Scanning Frequency bias: ±500KHz

Scan Rate: 180Hz±1Hz

Aisle width: 0.9-1.5m

Sensitivity: 5 μ A

Bandwidth: 7.5MHz-8.5MHz

Dimension:1620X325X170mm

Safe Guard : 250v,0.5A,fuse

Weight:20kgs



R50 (T001)

Dimension: 50mm (1.96")
Frequency: 8.2MHz / 1.95MHz 1.35-
Detection range: 1.5m (4.4-4.9')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.040CBM 12.3kgs



Mini Ovni (T002)

Dimension: 42x21mm (1.7x0.8")
Frequency: 8.2MHz
Detection range: 1.05-1.25m (3.4-4.0')
Color: Gray or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton
 0.035CBM 11.9kgs



Mini Pencil (T003)

Dimension: 46x13x18mm (1.8x0.51x0.63")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.25m (3.4-4.0') /0.9-1.1m (2.95-3.61')
Color: Gray /black or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton
 0.015CBM 9.3kgs



Mini Dome (T004)

Dimension: 42mm (1.54")
Frequency: 8.2MHz
Detection range: 1.05m-1.22m (3.44 -4.00)
Color: Beige or Customize
Lock: Three balls clutch, Standard/Super
Packing detail: 1,000pcs/carton
 0.034CBM 9.5kg



Mini Pencil (T005)

Dimension: 40x13x19mm (1.6x0.5x0.6")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.25m (3.4-4.0')/0.9-1.0m (2.95-3.28')
Color: Beige or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton
 0.015CBM 9.1kgs



Large Square (T006)

Dimension: 70x58x18mm (2.8x2.3x0.7")
Frequency: 8.2MHz
Detection range: 1.6-1.8m (5.2-5.7')
Color: Beige /black or customize
Lock: Three balls, standard/super
Packing detail: 500pcs/carton
 0.035CBM 10.3kgs



Micro Aura (T007)

Dimension: 45mm (1.77")
Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.4-4.0')
Color: Gray or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.034CBM 11.0kgs



Mini Square (T008)

Dimension: 48x42mm (1.89x1.65")
Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.44-4.00')
Color: Black or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton
 0.034CBM 10.8kgs



R50c (T009)

Dimension: 50.40mm (1.99 ")
Frequency: 8.2MHz
Detection range: 1.35m-1.48m (4.43-4.86')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.040CBM 12.6kg s



UFO (T010)

Dimension: 48 20mm (2.0 0.7")
Frequency: 8.2MHz
Detection range: 1.3-1.4m (4.2-4.6')
Color: Gray /black or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton
 0.034CBM 11.8kgs



Blister Tag (T011)

Dimension: 55x55x20mm (2.2x2.2x0.8")
Frequency: 8.2MHz / 58KHz
Detection range: 1.3-1.4m (4.2-4.6')
Color: Beige or customize
Lock:
Packing detail: Three balls, standard/super
 500pcs/carton
 0.040CBM 9.9/10.8kgs



Midi Dome (T012)

Dimension: 45x22mm (1.77x0.87 ")
Frequency: 8.2MHz/ 58KHz
Detection range: 1.05-1.22m (3.44-4.00')/ 0.9-1.1m(2.95-3.61')
Color: Black or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.034CBM



Bestag (T013)

Dimension: 51x26mm (2.0x1.02 ")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 0.9-1.1m(2.95-3.61')
Color: Gray or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton
 0.020CBM 11.0kgs



Flat Pencil Tag (T014)

Dimension: 53x15x18mm (2.1x0.6x0.67 ")
Frequency: 58KHz
Detection range: 1.2-1.3m (3.9-4.3 ')
Color: Gray or customize
Lock: Three balls, standard/super
Packing detail: 2000pcs/carton
 0.034CBM 18.9kgs



New R50 (T015)

Dimension: 50x16mm (2.0x0.63 ")
Frequency: 8.2MHz
Detection range: 1.3-1.5m (4.2-4.9 ')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.040CBM 12.7kgs



Golf

(T016)

Dimension: 63mm (2.48")
Frequency: 8.2MHz / 1.95MHz 1.4-1.49m
Detection range: (4.59-4.89')
Color: Black or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton
 0.040CBM 12.38kgs



DVDcase Clutch

(T017)

Dimension: 34 14mm
Color: Red or customize
Lock: Two balls, standard/super
Packing detail: cover 3600pcs/carton 0.047CBM 9.1kgs
 clutch 4000pcs/carton 0.015CBM 10.5kgs



Griffe

(T018)

Dimension: 50 20mm (1.97 0.79")
Frequency: 8.2MHz / 1.95MHz
Detection range: 1.35-1.48m (4.43-4.86 ') / 0.8-0.9m(2.62-2.95 ')
Color: Gray or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton
 0.040CBM 10.5kgs



Mini Griffe

(T019)

Dimension: 40 22mm (1.57 0.87")
Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.44-4.00 ')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.035CBM



Small Round

(T020)

Dimension: 42mm (1.65")
Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.44-4.00 ')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.040CBM 12.65kgs



Mini Golf (T022)

Dimension: 54mm (2.13")
Frequency: 8.2MHz / 58MHz
Detection range: 1.22-1.48m (4.00-4.86 ') / 0.9-1.1m(2.95-3.61')
Color: White / black or customize
Lock:
Packing detail: Three balls, standard/super
 500pcs/carton
 0.035CBM 9.8kgs



Large Round (T023)

Dimension: 58mm (2.28")
Frequency: 8.2MHz / 1.95MHz 1.4-1.58m
Detection range: (4.59-5.18 ')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton
 0.034CBM 7.73kgs



Stem (T024)

Dimension: 25x23mm (0.98x0.91")
Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.44-4.00 ')
Color: Beige or customize
Lock: Three balls, standard/super
Packing detail: 2000pcs/carton
 0.023CBM 15.5kgs



Napoleon (T025)

Dimension: 45x37mm (1.77x1.46")
Frequency: 8.2MHz / 58KHz / 66KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 1.75-1.40m (5.74-4.59 ')
 0.9-1.1m (2.95-3.61 ')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.040CBM 15.46kgs



Pencil (T026)

Dimension: 51x13mm (2.0x0.51")
Frequency: 8.2MHz / 58KHz / 66KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 1.25-1.4m (4.10-4.59 ')
 0.9-1.1m (2.95-3.61 ')
Color: Beige or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.020CBM 11.4kgs



Pencil (T027)

Dimension: 74x28x20mm (2.91x1.10x0.79")
Frequency: 8.2MHz / 58KHz / 66KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 1.25-1.4m (4.10-4.59 ')
 0.9-1.1m (2.95-3.61 ')
Color: Beige or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.040CBM 16.47kgs



Lute (T028)

Dimension: 62x25x22mm (2.44x0.98x0.87")
Frequency: 58KHz
Detection range: 1.25-1.4m (4.10-4.59 ')
Color: Black or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.035CBM 13.8kgs



Sax (T029)

Dimension: 60x20mm (2.36x0.79")
Frequency: 8.2MHz / 58KHz / 66KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 1.25-1.4m (4.10-4.59 ')
 0.9-1.1m (2.95-3.61 ')
Color: Beige or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.034CBM 11.62kgs



Mushroom (T030)

Dimension: 42 10mm (1.57 0.87")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 0.8-1.0m (2.62-3.28 ')
Color: Beige or customize
Packing detail: 1000pcs/carton 0.035CBM



Drop (T031)

Dimension: 54.8x20.4mm (2.16x0.80")
Frequency: 8.2MHz / 58KHz / 66KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 1.25-1.4m (4.10-4.59 ')
 0.9-1.1m (2.95-3.61 ')
Color: Beige or customize
Lock: Three balls, standard/super



Water Point (T032)

Dimension: 66x48mm (2.6x0.89")
Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.44-4.00 ')
Color: Black or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.020CBM 10.09kgs



UFO (T033)

Dimension: 42x25mm (1.65x0.98")
Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.44-4.00 ')
Color: Black or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton 0.035CBM 11kgs



Mini Cone (T034)

Dimension: 42mm (1.65")
Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.44-4.00')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.034CBM 11kgs



Alpha (T035)

Dimension: 65mm (2.56")
Frequency: 8.2MHz / 1.95MHz 1.58-1.84m
Detection range: (5.18-6.04')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton
 0.040CBM 9.9kgs



Bat (T036)

Dimension: 47x23x19mm (1.85x0.90x0.75")
Frequency: 58KHz / 66KHz
Detection range: 1.25-1.4m (4.10-4.59') / 0.9-1.1m (2.95-3.61')
Color: Beige or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.020CBM 10.4kgs/11.1kgs



Sciend (T037)

Dimension: 52x10x4mm (2.04x0.39x0.02")
Frequency: 58KHz
Detection range: 0.9-1.1m (2.95-3.61')
Color: Blue or customize
Packing detail: 5000pcs/carton 0.040CBM 15.2kgs



Universal Tag (T038)

Dimension: 55x15x23mm (2.17x0.59x0.91")
Frequency: 8.2MHz / 58KHz / 66KHz
Detection range: 1.05-1.22m (3.44-4.00') / 1.25-1.4m (4.10-4.59') / 0.9-1.1m (2.95-3.61')
Color: Beige / black or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.035CBM 14.2kgs



Oniversal Tag (T040)

Dimension:
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.22m (3.44-4.00') / 0.9-1.1m (2.95-3.61')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton 0.030CBM



Universal Tag (T041)

Dimension: 44x13x23mm (1.73x0.51x0.91")
Frequency: 8.2MHz / 58KHz
Detection range: 0.8-1.0m (2.62-3.28')
Color: Beige or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.030CBM 10.5/9.9kgs



R50 (T043)

Dimension: 50x20mm (1.97x0.79")
Frequency: 8.2MHz
Detection range: 1.35-1.48m (4.43-4.586 ')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail:



Super Tag (T044)

Dimension: 84x30x19mm (3.31x1.18x0.75")
Frequency: 58KHz
Detection range: 0.9-1.1m (2.95-3.61 ')
Color: Beige or customize
Lock: Mechanical lock
Packing detail: 1000pcs/carton 0.048CBM 17.9kgs



Mini Tag (T045)

Dimension: 47x42x19mm (1.85x1.65x0.75")
Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.44-4.00 ')
Color: Black or customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.035CBM 11kgs



R60 (T046)

Dimension: 60x19mm (2.36x0.75 ")
Frequency: 8.2MHz
Detection range: 1.5-1.65m (4.92-5.41 ')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton 0.040CBM 9.4kgs



Ovni (T047)

Dimension:
Frequency: 8.2MHz
Detection range: 1.58-1.84m (5.18-6.04 ')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton 0.040CBM 9.2kgs



Trunk (T048)

Dimension: 25x15x9mm (0.98x0.59x0.35")
Color: Beige or customize
Lock: Three balls, standard/super
Packing detail: 2000pcs/carton 0.035CBM



Dome Ink (T049)

Dimension: 54mm (2.13")
Frequency: 8.2MHz / 1.95MHz 1.22-
Detection range: 1.40m (4.0-4.59')
Color: Black or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton
 0.034CBM 12.50kgs



Golf Ink (T050)

Dimension: 55x25mm(2.17x0.98 ")
Frequency: 8.2MHz
Detection range: 1.35-1.48m (4.43-4.85')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton
 0.040CBM 13.1kgs



Griff Ink (T051)

Dimension: 51mm (2.01")
Frequency: 8.2MHz / 1.95MHz 1.35-1.48m
Detection range: (4.43-4.86')
Color: Black or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton
 0.040CBM



Ostra D50 (T053)

Dimension: 52x22mm (2.05x0.87")
Frequency: 8.2MHz
Detection range: 1.22-1.4m (4.00-4.59')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton
 0.044CBM 13.9kgs



Cable (T054)

Dimension: 53x28x25mm (2.09x1.10x0.98")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 0.9-1.1m (2.95-3.61 ')
Color: Light gray or customize
Lock: Three balls, standard/super
Packing detail: 250pcs/carton 0.020CBM 6.5kgs



Shose- Tag (T055) **New one-off Tag**

Dimension: 62x15x8mm (2.44x0.59x0.31")
Frequency: 58KHz
Detection range: 0.9-1.1m (2.95-3.61 ')
Color: Red or customize
Packing detail: 2000pcs/carton 0.020CBM 12kgs



Super Tag Mini (T056)

Dimension: 54x30x19mm (2.13x1.18x0.75 ")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 0.8-1.1m (2.62-3.61 ')
Color: Light gray or customize
Lock: Mechanical lock
Packing detail: 500pcs/carton 0.019CBM 6.5kgs



Club (T057)

Dimension: 52x34x28mm (2.05x1.34x1.10")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 0.9-1.1m (2.95-3.61 ')
Color: Light gray or customize
Packing detail: 250pcs/carton 0.020CBM 6.1kgs



Tie-tag (T058)

Dimension: 54x14x11mm (2.13x0.55x0.43 ")
Color: Light gray or customize
Packing detail: 2000pcs/carton 0.020CBM 12kgs



Ultra Gator (T059)

Dimension: 90x28x16mm (3.54x1.10x0.63")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 1.25-1.4m (4.10-4.59 ')
Color: Orange or customize
Lock: Mechanical lock
Packing detail:



R50 (T060)

Dimension: 52x22mm (2.05x0.87 ")
Frequency: 8.2MHz
Detection range: 1.22-1.4m (4.00-4.59 ')
Color: White or customize Three
Lock: balls, standard/super
Packing detail: 1000pcs/carton 0.040CBM 14.8kgs



Euipse (T061)

Dimension: 52x25x19mm (2.05x0.98x0.75 ")
Frequency: 8.2MHz
Detection range:
Color: Red or customize
Lock: Three balls, standard/super
Packing detail: 1200pcs/carton 0.040CBM 14.5kgs



Racket (T062)

Dimension: 61x52x20mm (2.40x2.05x0.79 ")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 0.9-1.1m (2.95-3.61 ')
Color: Light gray or customize
Packing detail: 200pcs/carton 0.23CBM 6.5kgs



Buzzer (T063)

Dimension: 42x22mm (1.65x0.87")
Frequency: 8.2MHz / 58KHz
Detection range: 1.05-1.22m (3.44-4.00 ') / 0.8-1.0m (2.62-3.28 ')
Color: Light gray /black or customize
Packing detail:



Super Tag Combo (T064)

Dimension: 88x30x19mm (3.46x1.18x0.75")
Frequency: 58KHz
Detection range: 0.9-1.1m (2.95-3.61 ')
Color: Beige or customize
Lock: Mechanical lock
Packing detail: 1000pcs/carton 0.048CBM 16.8kgs



Case Tag (T065)

Dimension: 70x44mm(2.76x1.73 ")
Frequency: 58KHz
Detection range: 0.9-1.1m (2.95-3.61 ')
Color: Black or customize
Packing detail:



Aura (T066)

Dimension: 63x23mm(2.48x0.91 ")
Frequency: 8.2MHz
Detection range: 1.58-1.84m (5.18-6.04 ')
Color: Beige or customize Three
Lock: balls, standard/super
Packing detail: 500pcs/carton 0.040CBM 9.2kgs



Soft tag



Soft Tag (S001)

Frequency: 8.2MHz
Detection range: 1.05-1.22m (3.44-4.00 ')
Packing detail:



Soft Tag (S002)

Frequency: 8.2MHz
Detection range: 1.6-1.8m (5.2-5.7')
Packing detail:



AM Soft Tag (S003)

Dimension: 60x20x3mm (2.36x0.79x0.12")
Frequency: 58KHz
Detection range:
Packing detail: 0.90-1.10m (2.95-3.61')
5000pcs/carton 0.047CBM
18.90kgs



Soft Tag (S004)

Dimension: 58x11x2mm (2.28x0.43x0.08 ")
Frequency: 58KHz
Detection range:
Packing detail: 0.90-1.10m (2.95-3.61')
1000pcs/carton 0.015CBM
7.3kgs



Soft Tag (S005)

Dimension: 53mmx39mm (2.09x1.54")
Frequency: 8.2MHz
Detection range: 0.90m-1.00m (2.95-3.28')
Packing detail: 5000pcs/carton
0.047CBM 18.90kgs



Stick Soft Tag (S006)

Frequency: 8.2MHz
Detection range: 1.00m-1.10m (3.28-3.61')
Packing detail: 1000pcs/carton
0.047CBM 18.90kg



Soft Tag (S007)

Dimension: 45x11x2mm (1.77x0.43x0.08 ")
Frequency: 58KHz
Detection range: 0.90-1.10m (2.95-3.61')
Packing detail: 5000pcs/carton 0.007CBM
 2.8kgs



Deactivator (DE-A01)

Dimensions: 220 140 6.8mm
weight: 1040g
Frequency Range: 8.2MHz 100KHz
Power consumption: 2W
Deactivation height: up to 30cm (12inch)
Input voltage: 220v/110v AC



Ink tag



Ink Tag (I001)

Dimension: 43mm 27mm (1.69 1.06")
Color: White/Gray or Customize and transparent
Packing detail: 1000pcs/carton
 0.047CBM 8.4kgs



Ink Tag (I002)

Dimension: 38mm (1.50")
Color: Yellow/Blue or Customize
Packing detail: 2000pcs/carton
 0.047CBM 9.00kgs



Ink Tag (I003)

Dimension: 43mm 28mm (1.69 1.10")

Color: White/Blue or Customize and transparent

Packing detail: 1000pcs/carton
0.047CBM 7.20kgs



Ink Tag (I004)

Dimension: 37mm 1.46"

Frequency: 8.2MHz / 58KHz

Detection range: 0.90m-1.10m (2.95-3.61")

Color: Beige/Gray

Packing detail: 500pcs/carton
0.047CBM 8.90kgs



Ink Tag (I005)

Dimension: 42 25 16mm (1.65 0.98 0.63")

Color: Yellow

Packing detail: 1000pcs/carton
0.040CBM



Ink Tag (I006)

Dimension: 25 9mm (0.98 0.35")

Color: Transparence or cusromize

Packing detail: 1000pcs/carton
0.040CBM



Cone Clutch (T039)

Dimension: 42x22mm (1.65x0.87")

Color: Beige or customize

Lock: Three balls, standard/super

Packing detail: 1000pcs/carton 0.035CBM 18.5kgs



Nipple Clutch (T042)

Dimension: 15x17mm (0.60x0.67")
Color: White/Gray or customize
Lock: Three balls, standard/super
Packing detail: 5000pcs/carton
 0.034CBM 16.8kgs



Nipple Clutch (T052)

Dimension: 19x17mm (0.75x0.67")
Color: White/Gray or customize
Lock: Three balls, standard/super
Packing detail: 5000pcs/carton
 0.034CBM 19.12kgs



R F label



Deactivator (DE-01)

Control box dimensions: 213 142 41mm
Plate dimension: 306 256 8mm
Wire length: 1.2m and 1.8m
Frequency Range: 8.2MHz 100KHz
Power consumption: 7 W 10-
Deactivation height: 15cm
Input voltage: AC 220v/110v 15%



R F label (RF-L01)

Dimension: 40x40mm (1.57x1.57")
Type: deactivatable, dummy barcode
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 5' (1.5m) in gate sensor
 20000pcs/box 20 rolls 0.022CBM
 13.5kgs



R F label (RF-L01/T)

Dimension: 40x40mm (1.57x1.57")
Type: deactivatable,transparence
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 5' (1.5m) in gate sensor
 20000pcs/box 20 rolls 0.022CBM
 13.5kgs



R F label (RF-L01/W)

Dimension: 40x40mm (1.57x1.57")
Type: deactivatable,white
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 5' (1.5m) in gate sensor
 20000pcs/box 20 rolls 0.022CBM
 13.5kgs



R F label (RF-L02)

Dimension: 48x50mm (1.89x1.97")
Type: deactivatable,dummy barcode
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 7.1' (2.2m) in gate sensor
 20000pcs/box 20 rolls 0.037CBM
 21kgs



R F label (RF-L03)

Dimension: 30x40mm (1.18x1.57")
Type: deactivatable,dummy barcode
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 4' (1.2m) in gate sensor
 20000pcs/box 20 rolls 0.021CBM
 11.2kgs



R F label (RF-L03/W)

Dimension: 30x40mm (1.18x1.57")
Type: deactivatable,white
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 4' (1.2m) in gate sensor
 20000pcs/box 20 rolls 0.021CBM
 11.2kgs



R F label (RF-L04)

Dimension: 30x48mm (1.18x1.89")
Type: deactivatable,white
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 5' (1.5m) in gate sensor
 20000pcs/box 20 rolls 0.021CBM
 11.8kgs



R F label (RF-L05)

Dimension: 40mm (1.57")
Type: deactivatable,dummy barcode
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 5' (1.5m) in gate sensor
 20000pcs/box 20 rolls 0.022CBM
 13kgs



R F label (RF-L05/W)

Dimension: 40mm (1.57")
Type: deactivatable,white
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 5' (1.5m) in gate sensor
 20000pcs/box 20 rolls 0.022CBM
 13kgs



R F label (RF-L06)

Dimension: 32x58mm (1.26x2.28")
Type: deactivatable,white
Frequency: 8.2MHz 4%
Detection range:
Packing detail: up to 5' (1.5m) in gate sensor
 20000pcs/box 20 rolls
 0.030CBM 15kgs



Bottle Tag (B001)

Dimension: 36x30mm (1.42x1.18")

Frequency:

Detection range: 8.2MHz / 58KHz
1.05m-1.22m (3.44-4.00')
0.90m-1.10m (2.95-3.61')

Color: Gray/White or Customize

Packing detail: 250pcs/carton 0.020CBM 10.09kgs



Bottle Tag (B002)

Dimension: 56x33mm (2.20x1.30")

Frequency: 8.2MHz

Detection range: 1.35m-1.48m (4.43-4.86 ')

Color: Gray/Black or Customize

Packing detail: 250pcs/carton 0.034CBM 9.25kgs



Bottle Tag (B003)

Dimension: 50x33mm (1.97x1.30")

Frequency:

Detection range: 8.2MHz / 58KHz
1.30m-1.40m (4.27-4.59 ')
0.90m-1.10m (2.95-3.61 ')

Color: Gray/Black or Customize

Packing detail: 250pcs/carton 0.034CBM 11.53kgs



Bottle Tag (B004)

Dimension: 50x32mm (1.97x1.26")

Frequency: 8.2MHz / 58KHz

Detection range: 1.35m-1.48m (4.43-4.86 ') / 0.90m-1.10m (2.95-3.61 ')

Color: Gray/Black or Customize

Packing detail: 250pcs/carton 0.034CBM 11.53kgs



Bottle Tag (B005)

Dimension: 50x34mm (1.97x1.34")

Frequency:

Detection range: 8.2MHz / 58KHz / 8.2MHz+58KHz
1.30m-1.40m (4.27-4.59 ')
0.90m-1.10m (2.95-3.61 ')

Color: Gray/White or Customize

Packing detail: 250pcs/carton 0.034CBM 9.47kgs



Bottle Tag (B006)

Dimension: 90x75mm (3.54x2.95")

Frequency: 8.2MHz / 58KHz

Detection range: 1.05m-1.22m (3.44-4.00')
0.90m-1.10m (2.95-3.61')

Color: Black or Customize

Packing detail: 100pcs/carton 0.040CBM 4.9kgs



Bottle Tag (B007)

Dimension: 85x67mm (3.35x2.64")

Frequency: 8.2MHz / 58KHz

Detection range: 1.05m-1.22m (3.44-4.00')
0.90m-1.10m (2.95-3.61')

Color: Transparence or cusromize

Packing detail: 100pcs/carton 0.040CBM 4.8kgs



Bottle Tag (B008)

Dimension: 36x30x35mm (1.42x1.18x1.38")

Frequency: 8.2MHz / 58KHz

Detection range: 1.05m-1.22m (3.44-4.00')
0.90m-1.10m (2.95-3.61')

Color: Beige or cusromize

Packing detail: 500pcs/carton 0.040CBM 8.8kgs



Bottle Tag (B009)


Dimension: 50x33mm (1.97x1.30')

Frequency: 8.2MHz / 58KHz

Detection range: 1.35m-1.48m (4.43-4.85')
0.90m-1.10m (2.95-3.61')

Color: Gray or cusromize

Packing detail: 250pcs/carton 0.035CBM 5.2kgs



Pin (P01)

Flat Head 12mm (0.47")

Length: 16mm/19mm/21mm/24mm (0.63"/0.75"/0.83"/0.94")

Surface: Smooth/Grooves

Color: Gray/White/Beige

Packing detail: 10000pcs/carton 0.014CBM 18.80kgs



Pin (P02)

Swivel Head 12mm (0.47")

Length: 16mm/19mm/21mm/24mm (0.63"/0.75"/0.83"/0.94")

Surface: Smooth/Grooves

Color: Gray/White/Beige

Packing detail: 10000pcs/carton 0.014CBM 22.90kgs



Pin (P03)

Cone Head 16mm (0.63")

Length: 16mm/19mm/21mm/24mm (0.63"/0.75"/0.83"/0.94")

Surface: Smooth/Grooves

Color: Gray/White/Beige

Packing detail: 10000pcs/carton 0.047CBM 12.3kgs



Pin (P04)

Dome Head 16mm (0.63 ")

Length: 16mm/19mm/21mm/24mm (0.63"/0.75"/0.83"/0.94")

Surface: Smooth/Grooves

Color: Gray/White/Beige

Packing detail: 10000pcs/carton 0.023CBM 25.70kgs



Pin (P05)


Cone Head 14mm (0.55 ")

Length: 16mm/19mm/21mm/24mm (0.63"/0.75"/0.83"/0.94")

Surface: Smooth/Grooves

Color: Gray/White/Beige

Packing detail: 10000pcs/carton 0.023CBM 20.20kgs



Pin (P06)


General Head 20mm (0.79")

Length: 16mm/19mm/21mm/24mm (0.63"/0.75"/0.83"/0.94")

Surface: Smooth/Grooves

Color: Gray/White/Beige

Packing detail: 10000pcs/carton 0.047CBM 14.40kgs



Pin (P08)


Dome Head 18.5mm (0.73")

Length: 16mm/19mm/21mm/24mm (0.63"/0.75"/0.83"/0.94")

Surface: Smooth/Grooves

Color: Gray/White/Beige

Packing detail: 5000pcs/carton 0.023CBM 22.40kgs



Pin (P09)


Dome Head 17mm (0.67")

Length: 16mm/19mm/21mm/24mm (0.63"/0.75"/0.83"/0.94")

Surface: Smooth/Grooves

Color: Gray/White/Beige

Packing detail: 10000pcs/carton 0.047CBM 13.20kgs



Pin (P10)

Flat Head 13mm (0.51")

Length: 16mm/19mm/21mm/24mm (0.63"/0.75"/0.83"/0.94")

Surface: Smooth/Grooves

Color: Gray or customize

Packing detail: 10000pcs/carton 0.015CBM 5.7kgs



Optical (0P001)

Frequency: 8.2MHz / 58KHz
Dimension: 24.5mm*23mm*25.5mm (0.94"*0.90"*1.00")
Color: Gray/White/Customize
Lock: Three balls, standard/super
Packing detail: 250pcs/carton
 0.034CBM 10.09kgs



Optical (0P002)

Frequency: 8.2MHz
Dimension: 57 33mm (2.24 1.30")
Color: Gray/White/Customize
Packing detail: 1000pcs/carton
 0.040CBM 9.7kgs



Optical (0P003)

Frequency: 8.2MHz
Dimension: 48 42mm (1.89 1.65")
Detection range: 1.05-1.22m(3.44-4.00 ')
Color: Beige/lighe gray or Customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.040CBM 14.29kgs



Optical (0P004)

Frequency: 58KHz
Dimension: 47 23 12mm (1.85 0.91 0.47")
Detection range: 0.9-1.1m(2.95-3.61 ')
Color: lighte gray or Customize
Packing detail: 1000pcs/carton 0.030CBM 6.7kgs



Optical (0P005)

Frequency: 8.2MHz / 58KHz
Dimension: 39 28 22mm (1.54 1.10 0.87")
Detection range: 1.05-1.22m(3.44-4.00 ')/0.8-1.0m(2.62-3.28 ')
Color: lighte gray or Customize
Lock: Three balls, standard/super
Packing detail: 1000pcs/carton 0.035CBM 13.5kgs



Optical (OP006)

Frequency: 8.2MHz / 58KHz

Dimension: 48.5 28mm (1.91 1.10")

Detection range: 1.05-1.22m(3.44-4.00 ')

Color: White/gray or Customize

Lock: Three balls, standard/super

Packing detail: 1000pcs/carton 0.034CBM 14.29kgs



Detacher (K01)

Frequency: 8.2MHz / 58KHz

Dimension: 95 15mm (3.74 0.59")

Detection range: 0.9-1.1m(2.95-3.61 ')



Detacher (K02)

Material: Nylon

Dimension: 183.5mm 35mm (7.23 1.38")

Weight: 500g

Packing detail: 2pcs/carton 0.004CBM 1.20kg



Detacher (K03)

Weight: 1.04kgs

Packing detail: 20pcs/carton GW: 21.8kg



Lanyard



Lanyard (L01)

Description: The lanyard makes it possible to attach most of hard tags to a wider variety of merchandise, especially hard goods. The lanyard loops around or through the merchandise and is held to the tag via appropriate pin tack.

Length: 100mm (3.9")/Customize

Packing detail: 5000pcs/carton
0.028CBM 14.5kgs



Lanyard (L02)

Description: The lanyard makes it possible to attach most of hard tags to a wider variety of merchandise, especially hard goods. The lanyard loops around or through the merchandise and is held to the tag via appropriate pin tack.

Length: 200mm (8")/Customize

Packing detail: 5000pcs/carton
0.028CBM 14.9kgs



Lanyard (L03)

Description: The lanyard makes it possible to attach most of hard tags to a wider variety of merchandise, especially hard goods. The lanyard loops around or through the merchandise and is held to the tag via appropriate pin tack.

Length: 180mm (7.2")/Customize

Packing detail: 10000pcs/carton
0.014CBM 16.34kgs



Lanyard (L04)

Description: The lanyard makes it possible to attach most of hard tags to a wider variety of merchandise, especially hard goods. The lanyard loops around or through the merchandise and is held to the tag via appropriate pin tack.

Length: 195mm (7.7")/Customize

Packing detail: 4000pcs/carton
0.043CBM 31.91kgs



Lanyard (L05)

Description: The lanyard makes it possible to attach most of hard tags to a wider variety of merchandise, especially hard goods. The lanyard loops around or through the merchandise and is held to the tag via appropriate pin tack.

Length: 170mm (6.8")/Customize

Packing detail: 5000pcs/carton
0.028CBM 11.70kgs



Lanyard (L06)

Description: The lanyard makes it possible to attach most of hard tags to a wider variety of merchandise, especially hard goods. The lanyard loops around or through the merchandise and is held to the tag via appropriate pin tack.

Length: 178mm (7.0")/Customize

Packing detail:



Detacher (D01)

Dimension: 74mm 36mm (2.9 1.4")

Magnetic force: =7000GS

Weight: 510g (17.99 oz.)

Packing detail: 20pcs/carton 0.011CBM 10.8kgs



Detacher (D02)

Dimension: 74mm 36mm (2.9 1.4")

Magnetic force: =7000GS

Weight: 500g (17.64 oz.)

Packing detail: 20pcs/carton 0.011CBM 10.6kgs



Detacher (D03)

Dimension: 74mm 36mm (2.9 1.4")

Magnetic force: =7000GS

Weight: 490g (17.5 oz.)

Packing detail: 20pcs/carton 0.011CBM 10.2kgs



Detacher (D04)

Dimension: 74mm 21mm (2.9 0.8")

Magnetic force: =4500GS

Weight: 360g (12.7 oz.)

Packing detail: 40pcs/carton 0.011CBM 15kgs



Detacher (D05)

Dimension: 75mm 34mm (2.95 1.34")

Magnetic force:

Weight: 0.44kgs

Packing detail: 20pcs/carton 9.4kgs